


## Burdekin

Variety	QN58-829 x CP49-50	
SEEDLING CODE	QA72-473	
APPEARANCE	Stalk yellow-brown, leaves deep green. Erect habit with open stool. Distinctive cork cracks.	
FEATURES/COMMENTS	Tough variety and gives better results on poorer soils.	
HARVESTING TIME	Late	
SUITED SOILS		
SEASONAL SUGAR -		
EARLY	Poor	
MID	Poor	
LATE	Average	
YIELD	High	
CCS	Low	
FAST AND RELIABLE GERMINATION	Good	
HARSH CONDITIONS	Good	
LODGING TOLERANCE	Average	
TRASH YIELD	Unknown	
WATERLOGGING	Average	
FLOOD	Average	
WIND	Average	
DISEASE REACTION -		
RESISTANT	Brown Rust, Smut	
INTERMEDIATE - RESISTANT	Leaf Scald	
INTERMEDIATE	Red Rot	
INTERMEDIATE - SUSCEPTIBLE	Chlorotic Streak	
SUSCEPTIBLE	Fiji Leaf Gall, Pachymetra	
UNKNOWN	Lesion Nematode, Orange Rust, Root Knot Nematode, RSD, Striate Mosaic, Yellow Leaf Virus	
CANE GRUB TOLERANCE	Average	
CROP MANAGEMENT PRACTICES	On good soils, reduce nitrogen rates to maximise CCS levels. Suited to poorer soils.	

### Disclaimer

Copyright © 2013 • All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of SRA. Disclaimer In this disclaimer a reference to "we", "us" or "our" means Sugar Research Australia Limited and our directors, officers, agents and employees. Although we do our best to present information that is correct and accurate, we make no warranties, guarantees or representations about the suitability, reliability, currency or accuracy of the information we present in this report for any purposes. Subject to any terms implied by law and which cannot be excluded, we accept no responsibility for any loss, damage, cost or expense incurred by you as a result of the use of, or reliance on, any materials and information appearing in this report. You, the user, accept sole responsibility and risk associated with the use and results of the information appearing in this report and you agree that we will not be liable for any loss or damage whatsoever (including through negligence) arising out of, or in connection with the use of this report. We recommend that you contact our staff before acting on any information provided in this report. Warning Our tests, inspections and recommendations should not be relied on without further, independent inquiries. They may not be accurate, complete or applicable for your particular needs for many reasons, including (for example) SRA being unaware of other matters relevant to individual crops, the analysis of unrepresentative samples or the influence of environmental, managerial or other factors on production.